



TEST REPORT

NUMBER: SHAH00187845S2

APPLICANT: LITEON SEMICONDUCTOR CORP.
28-1, WU SHIN STREET, TA WU LUNG,
KEELUNG 204, TAIWAN, R.O.C
LITE-ON MICROELECTRONICS (WUXI) CO.,
LTD.
LAND LOT J7, J8WEPZ, NEW DISTRICT,
WUXI CITY, JIANGSU, CHINA
ATTN: CLORIS WEI

DATE: JUN 29, 2010

*THIS IS TO SUPERSEDE
REPORT NO. SHAH00187845S1
DATED MAY 4, 2010*

SAMPLE DESCRIPTION:

ONE (1) SUBMITTED SAMPLE SAID TO BE :

ITEM NAME : GPP BRIDGE: GREEN MOLDING COMPOUND.
(1) MIXED ALL PARTS OF BODY
(2) SILVER COLORED METAL PIN
(3) BLACK PLASTIC BODY WITHOUT SOLDER PASTE
& DIE
ITEM NO. : GBP PACKAGE FAMILY
(GBPXXX,GBPXXX ETC)

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

TO BE CONTINUED

PREPARED AND CHECKED BY:
FOR INTERTEK TESTING SERVICES
LTD., SHANGHAI

AUTHORIZED BY:
FOR INTERTEK TESTING SERVICES
LTD., SHANGHAI

MYRA LV
CHEMICAL LAB SENIOR MANAGER

STEPHEN TSANG
GENERAL MANAGER



TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

1 (A) TEST RESULT SUMMARY:

<u>TESTING ITEM</u>	<u>RESULT</u>
	(1)
CADMIUM (Cd) CONTENT (mg/kg)	ND
LEAD (Pb) CONTENT (mg/kg)	189200#2
MERCURY (Hg) CONTENT (mg/kg)	ND
CHROMIUM (VI) (Cr ⁶⁺) CONTENT (mg/kg) (FOR NON-METAL)	ND
POLYBROMINATED BIPHENYLS (PBBs) (mg/kg)	
MONOBROMO BIPHENYLS (MonoBB)	ND
DIBROMO BIPHENYLS (DiBB)	ND
TRIBROMO BIPHENYLS (TriBB)	ND
TETRABROMO BIPHENYLS (TetraBB)	ND
PENTABROMO BIPHENYLS (PentaBB)	ND
HEXABROMO BIPHENYLS (HexaBB)	ND
HEPTABROMO BIPHENYLS (HeptaBB)	ND
OCTABROMO BIPHENYLS (OctaBB)	ND
NONABROMO BIPHENYLS (NonaBB)	ND
DECABROMO BIPHENYL (DecaBB)	ND
POLYBROMINATED DIPHENYL ETHERS (PBDEs) (mg/kg)	
MONOBROMO DIPHENYL ETHERS (MonoBDE)	ND
DIBROMO DIPHENYL ETHERS (DiBDE)	ND
TRIBROMO DIPHENYL ETHERS (TriBDE)	ND
TETRABROMO DIPHENYL ETHERS (TetraBDE)	ND
PENTABROMO DIPHENYL ETHERS (PentaBDE)	ND
HEXABROMO DIPHENYL ETHERS (HexaBDE)	ND
HEPTABROMO DIPHENYL ETHERS (HeptaBDE)	ND
OCTABROMO DIPHENYL ETHERS (OctaBDE)	ND
NONABROMO DIPHENYL ETHERS (NonaBDE)	ND
DECABROMO DIPHENYL ETHER (DecaBDE)	ND

TO BE CONTINUED

TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

<u>TESTING ITEM</u>	<u>RESULT</u>
	(2)
CADMIUM (Cd) CONTENT (mg/kg)	ND
LEAD (Pb) CONTENT (mg/kg)	22
MERCURY (Hg) CONTENT (mg/kg)	ND
CHROMIUM (VI) (Cr ⁶⁺) RESULT (BY BOILING WATER EXTRACTION ON METAL) (mg/kg WITH 50cm ²)	ND

<u>TESTING ITEM</u>	<u>RESULT</u>
	(3)
LEAD (Pb) CONTENT (mg/kg)	ND

REMARK:

mg/kg = MILLIGRAM PER KILOGRAM = ppm

mg/kg WITH 50cm² = MILLIGRAM PER KILOGRAM WITH 50 SQUARE CENTIMETER

ND = NOT DETECTED

THE TESTED SAMPLE (1) WAS NOT HOMOGENEOUS MATERIAL SAMPLING RANDOMLY.

#2 = THE RESULT IS FOR REFERENCE ONLY.

TESTED COMPONENTS:

- (1) MIXED ALL PARTS OF BODY
- (2) SILVER COLORED METAL PIN
- (3) BLACK PLASTIC BODY WITHOUT SOLDER PASTE & DIE

(B) ROHS REQUIREMENT:

RESTRICTED SUBSTANCES	LIMITS
CADMIUM (Cd)	0.01% (100 mg/kg)
LEAD (Pb)	0.1% (1000 mg/kg)
MERCURY (Hg)	0.1% (1000 mg/kg)
CHROMIUM (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
POLYBROMINATED BIPHENYLS (PBBs)	0.1% (1000 mg/kg)
POLYBROMINATED DIPHENYL ETHERS (PBDEs)	0.1% (1000 mg/kg)

THE ABOVE LIMITS WERE QUOTED FROM 2002/95/EC AND AMENDMENT 2005/618/EC FOR HOMOGENEOUS MATERIAL.

TO BE CONTINUED



TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

(C) TEST METHOD:

<u>TESTING ITEM</u>	<u>TESTING METHOD</u>	<u>REPORTING LIMIT</u>
CADMIUM (Cd) CONTENT	WITH REFERENCE TO IEC 62321 EDITION 1.0: 2008, BY ACID DIGESTION UNTIL THE TESTED SAMPLE WAS TOTALLY DISSOLVED AND DETERMINED BY ICP-OES	2 mg/kg
LEAD (Pb) CONTENT	WITH REFERENCE TO IEC 62321 EDITION 1.0: 2008, BY ACID DIGESTION UNTIL THE TESTED SAMPLE WAS TOTALLY DISSOLVED AND DETERMINED BY ICP-OES	2 mg/kg
MERCURY (Hg) CONTENT	WITH REFERENCE TO IEC 62321 EDITION 1.0: 2008, BY ACID DIGESTION UNTIL THE TESTED SAMPLE WAS TOTALLY DISSOLVED AND DETERMINED BY ICP-OES	2 mg/kg
CHROMIUM (VI) (Cr ⁶⁺) CONTENT (FOR NON-METAL)	WITH REFERENCE TO IEC 62321 EDITION 1.0: 2008, BY ALKALINE DIGESTION AND DETERMINED BY UV- VIS SPECTROPHOTOMETER	1 mg/kg
CHROMIUM (VI) (Cr ⁶⁺) CONTENT (FOR METAL)	WITH REFERENCE TO IEC 62321 EDITION 1.0: 2008, BY BOILING WATER EXTRACTION AND DETERMINED BY UV-VIS SPECTROPHOTOMETER	0.02mg/kg WITH 50cm ² (IN TESTING SOLUTION)
POLYBROMINATED BIPHENYLS (PBBs) & POLYBROMINATED DIPHENYL ETHERS (PBDEs)	WITH REFERENCE TO IEC IEC 62321 EDITION 1.0: 2008, BY SOLVENT EXTRACTION AND DETERMINED BY GC/MS AND FURTHER HPLC CONFIRMATION WHEN NECESSARY.	5 mg/kg

TO BE CONTINUED


TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

(D) MEASUREMENT FLOWCHART:

TEST FOR Cd/Pb/Hg/Cr (VI)/PBBs/PBDEs CONTENTS
REFERENCE STANDARD: IEC 62321 EDITION 1.0: 2008



TO BE CONTINUED



TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

REMARKS:

*1: LIST OF APPROPRIATE ACID:

<u>MATERIAL</u>	<u>ACID ADDED FOR DIGESTION</u>
POLYMERS	HNO ₃ , HCl, HF, H ₂ O ₂ , H ₃ BO ₃
METALS	HNO ₃ , HCl, HF
ELECTRONICS	HNO ₃ , HCl, H ₂ O ₂ , HBF ₄

*2: IF THE RESULT OF SPOT TEST IS POSITIVE, CHROMIUM VI WOULD BE DETERMINED AS DETECTED.

TO BE CONTINUED



TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

TEST CONDUCTED

2 (I) TEST RESULT SUMMARY :
HALOGEN CONTENT :

<u>TESTING ITEM</u>	<u>RESULT (ppm)</u>
	<u>SUBMITTED SAMPLES</u>
	(1)
FLUORINE (F) CONTENT	ND
CHLORINE (Cl) CONTENT	130
BROMINE (Br) CONTENT	ND
IODINE (I) CONTENT	ND

REMARKS : ppm = PARTS PER MILLION = mg/kg
ND = NOT DETECTED

(II) TEST METHOD :

<u>TESTING ITEM</u>	<u>TESTING METHOD</u>	<u>REPORTING LIMIT</u>
HALOGEN (F, Cl, Br, I) CONTENT	WITH REFERENCE TO EN 14582:2007 BY COMBUSTION IN A CALORIMETRIC BOMB AND DETERMINED BY ION CHROMATOGRAPHY	50 ppm

REMARKS : REPORTING LIMIT = QUANTITATION LIMIT OF ANALYTE IN SAMPLE

TESTED COMPONENT : (1) MIXED ALL PARTS OF BODY

TO BE CONTINUED


TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED
(III) MEASUREMENT FLOWCHART:

TEST FOR HALOGEN CONTENT

REFERENCE METHOD: EN 14582:2007



TO BE CONTINUED



TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

3 PERFLUOROOCTANE SULFONATES (PFOS) AND PERFLUOROOCTANOIC ACID (PFOA) CONTENT:

BY SOLVENT EXTRACTION AND FOLLOWED BY LIQUID CHROMATOGRAPHY-MASS SPECTROMETRIC (LC-MS) ANALYSIS.

<u>COMPOUND</u>	<u>RESULT (ppm)</u>	<u>RESULT (ug/m²)</u>
	(1)	(2)
PERFLUOROOCTANE SULFONATES	<1	<1
PERFLUOROOCTANOIC ACID	<1	<1

REMARK : < = LESS THAN

ppm = PARTS PER MILLION = mg/kg

DETECTION LIMIT = 1.0 ppm / ug/m²

TESTED COMPONENTS:

- (1) MIXED ALL PARTS OF BODY
- (2) SILVER COLORED METAL PIN


TO BE CONTINUED

TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED
MEASUREMENT FLOWCHART:

TEST FOR **PERFLUOROCTANE SULFONATES (PFOS) AND
PERFLUOROCTANOIC ACID (PFOA) CONTENT:**



TO BE CONTINUED

TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

4 POLYCYCLIC AROMATIC HYDROCARBONS (PAHs) FOR GS CERTIFICATION

AS PER THE DOCUMENT ZEK 01.2-08 ISSUED BY THE CENTRAL EXPERIENCE EXCHANGE OFFICE (ZEK), BY SOLVENT EXTRACTION AND DETERMINED BY GC-MSD.

(I) TEST RESULT

<u>TESTING ITEM</u>	<u>RESULT (ppm)</u>
	(1)
NAPHTHALENE	ND
ACENAPHTHYLENE	ND
ACENAPHTHENE	ND
FLUORENE	ND
PHENANTHRENE	ND
ANTHRACENE	ND
FLUORANTHENE	ND
PYRENE	ND
CHRYSENE	ND
BENZO [a] ANTHRACENE	ND
BENZO [b] FLUORANTHENE	ND
BENZO [k] FLUORANTHENE	ND
BENZO [a] PYRENE	ND
DIBENZO [a, h] ANTHRACENE	ND
INDENO [1, 2, 3 -cd] PYRENE	ND
BENZO [g, h, i] PERYLENE	ND
SUM OF PAHs	ND
CLASSIFICATION OF SAMPLE: CATEGORY	II
CONCLUSION	P

REMARKS: ppm = PARTS PER MILLION = mg/kg

ND = NOT DETECTED

P = PASS

DETECTION LIMIT = 0.2 ppm

TO BE CONTINUED

TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

(II) LIMITS FOR PAHs IN PRODUCTS

PARAMETER	PRODUCT	BENZO [a] PYRENE	SUM 16 PAHs (EPA)
CATEGORY I	MATERIALS INTENDED TO BE PUT IN THE MOUTH, OR MATERIALS OF TOYS FOR CHILDREN AGED < 36 MONTHS WITH INTENDED SKIN CONTACT ²⁾	NOT DETECTED (<0.2 mg/kg) ¹⁾	NOT DETECTED (<0.2 mg/kg) ¹⁾
CATEGORY II	MATERIALS NOT COVERED BY CATEGORY I, WITH FORESEEABLE SKIN CONTACT FOR LONGER THAN 30 SECONDS (LONG-TERM SKIN CONTACT)	1 mg/kg	10 mg/kg
CATEGORY III	MATERIALS NOT COVERED BY CATEGORY I OR II, WITH FORESEEABLE SKIN CONTACT UP TO 30 SECONDS (SHORT TERM SKIN CONTACT)	20 mg/kg	200 mg/kg

REMARK:

- 1) IF THE LIMITS OF CATEGORY I ARE SURPASSED BUT THE LIMITS OF CATEGORY II STILL MET, THE CONFIRMATION OF SUITABILITY OF CONTACT WITH FOODSTUFF OR THE ORAL MUCOSA CAN BE VERIFIED BY AN ADDITIONAL MIGRATION TEST OF THE PAHs COMPONENTS ACCORDING TO EN 1186 AND §64 LFGB B80.30-1. THE RESULTS OF THE MIGRATION TEST SHALL BE EVALUATED ACCORDING TO LAW CRITERIA FOR FOODSTUFF.
- 2) ACCORDING TO THE STIPULATIONS OF THE EK2.

TESTED COMPONENT : (1) MIXED ALL PARTS OF BODY



TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED

5 TOTAL ANTIMONY (Sb) CONTENT

AS PER CLIENT'S REQUEST, ACID DIGESTION METHOD WAS USED AND TOTAL ANTIMONY CONTENT WAS DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

<u>TESTED COMPONENT</u>	<u>RESULT IN ppm</u>
(1)	<10

ppm = PARTS PER MILLION = mg/kg
< = LESS THAN

TESTED COMPONENT: MIXED ALL PARTS OF BODY.

DATE SAMPLE RECEIVED : APR.9, 2010 & JUN.12, 2010

TESTING PERIOD : APR.9, 2010 TO JUN.25, 2010

TO BE CONTINUED




TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED
MEASUREMENT FLOWCHART

1. TEST FOR Sb CONTENTS (USEPA3052)




TO BE CONTINUED

TEST REPORT

NUMBER: SHAH00187845S2

TESTS CONDUCTED



END OF REPORT



To: Liteon Semiconductor Corp.
Lite-On Microelectronics (Wuxi) Co., Ltd.
Attention: Cloris Wei Date: Jun 29, 2010

Re: Report Revision Notification

**Intertek Testing Services Report Number SHAH00187845S1 Dated May.4,
2010.**

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now supersede by a revised Intertek Testing Services Report SHAH00187845S2.

Thank you for your attention.

PREPARED AND CHECKED BY:
FOR INTERTEK TESTING SERVICES
LTD., SHANGHAI

MYRA LV
CHEMICAL LAB SENIOR MANAGER

AUTHORIZED BY:
FOR INTERTEK TESTING SERVICES
LTD., SHANGHAI

STEPHEN TSANG
GENERAL MANAGER